AIRPORT DIRECTORY - CHARLOTTE AREA

CITY	AIRPORT	NORTH	EAST	ALT.	F (Fuel)	ILS (Rwy/Freq)
Aiken	Aiken Muni	13724	18819	529		
Allendale	Allendale Co.	13454	18991	160		
Augusta	Bush Fld	13599	18729	145		
Barnwell	Barnwell Co.	13564	18937	246		
Beaufort	MCAS Beaufort	13248	19211	38		
Charleston	Charleston AFB/Int'l	13448	19417	46		
Charleston	Charleston Executive	13366	19462	20		
Charlotte ATIS 121.5	Douglas Int'l	14427	19030	749	*	109.5/5
Columbia ATIS 120.15	Columbia Metro	13876	19005	236	*	
Columbia	Conway-Horry Co.	13881	19735	35		
Edenton	Edenton Muni	14940	20524	19		
Fayetteville	Fayetteville Muni/ Grannis Fld	14386	19769	190		
Florence	Florence City-Co.	14008	19501	147		
Georgetown	Georgetown Co.	13653	19685	39		
Greensboro	Greensboro-Highpoint-Winston Salem Reg'l	14829	19358	926	*	
Kingstree	Williamsburg Co.	13807	19474	68		
Kinston	Eastern Regional	14589	20196	94		
Lancaster	Lancaster Co.	14208	19069	486		
Lumberton	Lumberton Muni	14214	19717	126		
Manning	Clarendon Co.	13742	19353	104		
Manteo	Dare Co.	14923	20819	13		
Mocksville	Twin Lakes	14733	19180	820		
N. Myrtle Beach	Grand Strand	13885	19876	33	*	
New Bern	Simmons-Nott	14484	20415	19		
Orangeburg	Orangeburg	13666	19124	197		
Plymouth	Plymouth Muni	14827	20475	39		
Raleigh	Raleigh-Durham	14765	19769	437	*	
Salisbury	Rowan Co.	14613	19151	771		
Savannah	Savannah Int'l	13078	19032	51	*	
Statesboro	Statesboro Muni	13224	18838	187		
Wallace	Henderson	14307	20094	39		
Walterboro	Walterboro Muni	13441	19222	98		
Whiteville	Columbus Co.	14081	19853	90		
Wilmington	New Hanover	14108	20146	32		
Wilson	Wilson Muni	14748	20059	161		
Winnsboro	Fairfield Co.	14019	18983	574		
Winston Salem	Smith Reynolds	14839	19258	970		

LEGEND

Civil-Public use airport

SANTA MONICA
ATIS 119.15
175-50

Airport Name
Advisory Frequency (if available)
Elevation (feet) — Length (hundreds of feet)

NAME
FREQUENCY

VOR

NAME
FREQUENCY

VORTAC (Distance Measuring Equipment Able)

NAME
FREQUENCY

VOR/DME

NAME
FREQUENCY

Non Directional Beacon

VOR/DME
NAME
FREQUENCY

If VOR falls directly on an airport, only the airport symbol will be shown. The VOR facility type is shown at the top of the box.

AIRPORT NAME ABBREVIATIONS

CO	County
FLD	Field
INTL	International
MUNI	Municipal

CHARLOTTE AREA CHART

FLIGHT SIMULATOR II REFERENCE CHART. NOT TO BE USED FOR REAL WORLD AERIAL NAVIGATION.



North and east coordinates are canted at + 7° (clockwise) to compensate for orthogonal coordinate grid overlaid on Lambert conformal conic projection.

Amdt 30

ILS RWY 5

AL-78 (FAA)

CHARLOTTE/DOUGLAS INTL (CLT)
CHARLOTTE, NORTH CAROLINA





MISSED APPROACH
Climb to 1200 then climbing right turn to 3000 via heading 070° and FML R-039 to Brams Int and hold.

CATEGORY	A	B	C	D
S-ILS 5	916/24		200 (200-½)	
S-LOC 5	1120/24	404 (400-½)	1120/40	404 (400-¾)
CIRCLING	1220-1	471 (500-1)	1220-1½ 471 (500-1½)	1300-2 551 (600-2)

Cat. D S-LOC visibility increased to RVR 5000 for inoperative MM.

ELEV 749 | Rwy 18L ldg 7200' TDZ/CL Rwys 36L, 36R



FAF to MAP 4.6 NM					
Knots	60	90	120	150	180
Min:Sec	4:36	3:04	2:18	1:50	1:32